

GREDIČAR ZA POVRČE



BEDDY

BEDDY

ŠTO JE BEDDY?



BEDDY je stroj namijenjen predsjetvenoj pripremi tla u vidu usitnjavanja tla i oblikovanja gredica.



KAKO BEDDY RADI?

Sekcija za usitnjavanje tla usitnjava tlo pripremajući ga za oblikovanje u gredice.

Profilatori sekcije za formiranje gredice daju oblik gredici, raspoređujući tlo koje je sekcija za usitnjavanje pripremila

PREDNOSTI KORIŠTENJA



- **Jednostavno korištenje**
- **Robusna konstrukcija**
- **Pouzdan u radu**
- **Visok učinak**
- **Smanjuje troškove**
- **Visoka razina personalizacije**



KARAKTERISTIKE

➤ SEKCIJA ZA USITNJAVANJE

- **Moguć prihvat sa strojevima 1. i 2. kategorije**
- **Spiralno postavljene noževi rezultiraju manju potrebu za snagom i kvalitetnije obrađenom zemljom**
- **4 noža po prirubnici (mogućnost postavljanja 6 noževa kao dodatna opcija)**
- **Mogućnost podešavanja dubine rada**
- **Maksimalna dubina rada do 18 cm**



KARAKTERISTIKE

➤ SEKCIJA ZA USITNJAVANJE

- Broj okretaja priključnog vratila: 540 o/min
 - Broj okretaja vratila: 238 o/min
 - Reduktor snage 48 kW
 - Lanac za pogon u uljnoj kupci
- Mogućnost samostalnog izvođenja operacija usitnjavanja tla (frezanja) bez oblikovanja gredica

KARAKTERISTIKE

➤ SEKCIJA ZA OBLIKOVANJE GREVICE

- **Profilatori sekcije za oblikovanje gredice daju oblik gredici, raspoređujući tlo koje je pripremila sekcija za usitnjavanje**
- **Kompaktnost (zbijenost) gredice omogućena pomoću opružnog sustava na gornjem dijelu profilatora.**




MODELI STROJA

Gredičar za povrće
RTB7618



Gredičar za povrće
RTB7623





MODELI STROJA - NAMJENA

Izvedbe stroja su izvedene sukladno dimenzijama gredice koje pojedina izvedba može praviti

Predviđena namjena modela:

- 1.RTB7618 - kulture s jednogodišnjom vegetacijom**
- 2.RTB7623 - kulture s višegodišnjom vegetacijom (npr. jagode)**



MODEL RTB7618

| | RTB7618 |
|--|----------------|
| Širina transportna (mm) | 1860 |
| Širina radna (mm) | 1500 |
| Duljina (mm) | 1030 |
| Visina (mm) | 1150 |
| Širina gredice | 760 |
| Visina gredice (max mm) | 180 |
| Potrebna snaga (min KS) | 40 - 65 |
| Potrebna širina folije (min mm) | 1200 |



MODEL RTB7623

| | RTB7623 |
|--|----------------|
| Širina transportna (mm) | 1860 |
| Širina radna (mm) | 1500 |
| Duljina (mm) | 1030 |
| Visina (mm) | 1150 |
| Širina gredice | 760 |
| Visina gredice (max mm) | 230 |
| Potrebna snaga (min KS) | 50 - 75 |
| Potrebna širina folije (min mm) | 1400 |



DODATNA OPREMA –

SUSTAV ZA POLAGANJE FOLIJE

➤ **Podesiv i pomjerljiv nosač folije**

➤ **Ugrađen mehanizam za sprječavanje samoodmatanja folije**

A green agricultural machine is shown in operation, processing a large roll of black plastic film. The machine is mounted on a tractor, with its large, treaded tires visible at the top. The film is being unrolled and fed into a mechanism that appears to be laying it out in a specific pattern. The background shows a dirt field with some green plants in the distance.

DODATNA OPREMA –

SUSTAV POLAGANJA CRIJEVA

KAP NA KAP NA ZEMLJU

Omogućuje postavljanje do 2 crijeva kap na kap na prethodno formiranu gredicu, odnosno između tla i folije koja se polaže



DODATNA OPREMA

**DEPONATORI GNOJIVA SA INOX
KUTIJOM**

Pláš kutija za gnojivo izrađene od INOX lima.

Izbacivanje gnojiva pogonjeno elektromotorom.

Količina rasipanja regulirana kombinacijom postavki na elektroničkoj konzoli, mehaničkim regulatorom i brzinom kretanja traktora



DODATNA OPREMA –

KOTAČI ZA PROBIJANJE FOLIJE

Namijenjeni probijanju folije tokom procesa polaganja folije (radi sadnje presadnica).

Pocinčani

Ovisno o željama kupcu su raspoloživi sustav koji uključuje 1 kotač (probijanje folije u 1 redu), 2 kotača (probijanje folije u 2 reda), ili čak 3 kotača (probijanje folije u 3 reda).

- **Proizvedeno u Hrvatskoj**
- **Proizvod ima europsko preferencijalno podrijetlo**



Klik ili scan za pregled

Ukoliko s Vaše strane postoji interes u vezi nabavke ovog stroja, slobodno nam se i s povjerenjem obratite.

Vaš tim Agroservis – proizvodnje d.o.o.

Adresa:

Stjepan Radića 136
33000 Virovitica
R. Hrvatska /
Croatia

Telefon:

+385 (0)99 254 8233

+385 (0)33 730 240

g. Kovač Andrej

e-mail:

agroservisproizvodnja.vt@gmail.com

agroservis.proizvodnja@vt.t-com.hr